

Ref. **9GYP610**

Indoor and dry environments

Low

Low shoes



S1P



The +

- * Trail style.
- * Lightweight.
- * Flexible.
- * Breathable.
- * Scuff cap TPU (thermoplastic polyurethane).

PURCHASE PACKAGING

Ref.	Size	Carton
9GYP610038	38	10
9GYP610039	39	10
9GYP610040	40	10
9GYP610041	41	10
9GYP610042	42	10
9GYP610043	43	10
9GYP610044	44	10
9GYP610045	45	10
9GYP610046	46	10
9GYP610047	47	10

Some sizes may only be available in certain countries

See also

VARIANTS



9GYP210

DESCRIPTION

GYPSE is a low safety shoe with a breathable polyamide upper inspired by the trail universe.

Its textile tightening loops, aluminum toe cap and textile antipenetration plate make this model a lightweight and comfortable safety shoe. Reinforced at the front, sides and back in TPU (Thermoplastic polyurethane) for better superior abrasion resistance, this model features a durable and cushioning EVA / rubber outsole as well as an EVA insole with a textile top and wide perforations for good evacuation of the perspiration.

GYPSE is ideal for work environment such as logistics, construction finishing works or DIY.

SECTORS

Construction - finishing work

DIY

Transport (excluding manufacturing) and logistics

Services and distribution

APPLICATIONS

Painter,
Electrician,
Storekeeper, ...

TECHNICAL FEATURES

Color	Black	Insole	Removable, perforated EVA
Color 2	Yellow	Main assembly	Cemented
Weight	483 g	Reinforcement material	TPU
Upper	Mesh	Reinforcement location	Upper
Toecap	Aluminium	Closing	Lacing closure
Puncture resistant sole	Textile	Lining	Breathable 3D mesh
Midsole	EVA		
Outsole	Rubber nitrile		

INSTRUCTION FOR USE AND STORAGE

Instructions for use

These shoes can be perfectly preserved. Before any use, effect of a visual inspection is perfect. It is advisable to choose the appropriate model for the specific requirements of your workplace.

Storage instructions

Place the shoes, when not in use, in a dry, clean and airy place. The time influences all materials and even if only first class raw materials have been used, storage for longer than 3 years is not recommended.

Washing instructions

Regularly clean the shoes by using brushes, cleaning clothes.

STANDARD(S)

This shoe conforms to the personal protective equipment model covered by the EC type-examination certificate 2777/13356-01/E00-00

Delivered by SATRA Technology Europe Ltd (2777) Bracetown Business Park- Clonee- Dublin 15 Dublin Ireland



EPI CAT. II

EN ISO 20345:2011

S1P

Safety shoes

S1P Basic requirements: a 200 Joule impact and 15 000 Newton compression resistant toe-cap + Closed heel + Antistatic shoe 0,1M? A < 1000 M? + Fuel and oil resistant contact outsole + Energy absorbing heel E ? 20 Joules + Puncture resistant midsole / Resistant to a 1100 Newtons pressure

SRA

Slip resistant outsole on ceramic or steel floor with dilute soap solution or glycerol