# coverguard®

## **TECHNICAL DATASHEET**

# **ELECTROVOLT**

Ref. MO8056

## **Specialties**



Classe	Tension max. d'utilisation COURANT ALTERNATIF		
00	500 V		
0	1000 V		
1	7 500 V		
2	17 000 V		
3	26 500 V		
4	36 000 V		



Catégorie	Résistant à
Α	Acide
Н	Huile
Z	Ozone
R	Acide, Huile, Ozone
C	Très hasse température

#### Electric Related







# The +

CLASS 0 - AZC

High dielectric protection. Ergonomic shape.

Lightly powdered to facilitate donning and removal

#### PURCHASE PACKAGING

Réf.	Taille	Sachet	Carton
8053	7	1	50
8054	8	1	10
8055	9	1	10
8056	10	1	10
8057	11	1	50

#### **SALES PACKAGING**

х1

Individual pack

#### **DESCRIPTION**

Insulating natural rubber gloves, cut edges.

The ergonomic shape of the glove and its slightly powdered interior makes it easy the donning and doffing.

The natural rubber provides dielectric properties, while our technique and expertise allow us to make gloves as thin as possible in order to offer the maximum level of the dexterity to the users.

Recommended for use with leather overgloves to provide mechanical protection. Length: 36cm

#### **SECTORS**

Manufacture of electrical and electronic equipment and machines

Energy

Maintenance

#### **APPLICATIONS**

Electrical work, live working Max operating voltage: 1000v Prooftest voltage: 5000v

Length - mm

360

### **TECHNICAL FEATURES**

Color Ecru

**Shape** Glove

Dry environment **Environment** 

Dipping Glove type

**Support material** Natural latex honey color

Tempered glove

Non supported

structure

Powdered Interior finishing Smooth **Support finition** Straight cut Type Of Cuff

## STANDARD(S)

This glove conforms to the personal protective equipment model covered by the EC type-examination certificate 2777/11671-01/E00-

Delivered by SATRA Technology Europe Ltd (2777) Bracetown Business Park- Clonee- Dublin 15 Dublin Ireland

**EPI CAT. III** 

EN420:2003 + A1:2009

General requirements for protective gloves

EN60903:2003 + CEI 60903:2014

Electrical insulating gloves

Classe 0 catégorie AZC

RETAILER STAMP

MAJ 17/02/2021